## Name\_\_\_\_\_

| Answer Questions 1-23 using the back side of your Scantron. There is only one answer for each question (2 pt).  |
|---|
| <ul> <li>1. According to the Bronsted-Lowry definition,</li> <li>a) a base produces H<sup>+</sup> ions in aqueous solutions.</li> <li>b) a base is a proton acceptor.</li> <li>c) an acid acts as the solvent.</li> <li>d) a base is a proton donor.</li> <li>e) an acid is a proton acceptor.</li> </ul>   |
| 2. In the following reaction, $H_2O + CN^- \rightarrow HCN + OH^-$ , the substance that is the base is<br>A) $H_2O$ B) $CN^-$ C) $HCN$ D) $OH^-$  |
| 3. The following, OH <sup>-</sup> / H <sub>2</sub> O , is apair         A) conjugate acid/ base       B) base/conjugate acid       C) acid/conjugate base       D) conjugate acid / acid  |
| <ul> <li>4. Which of the following statements correctly describes the hydronium-hydroxide ion balance in aqueous solution?</li> <li>a) in neutral solutions, [H<sub>3</sub>O<sup>+</sup>] = [H<sub>2</sub>O].</li> <li>b) in bases, [OH<sup>-</sup>] is less than [H<sub>3</sub>O<sup>+</sup>].</li> <li>c) in bases, [OH<sup>-</sup>] = [H<sub>3</sub>O<sup>+</sup>].</li> <li>d) in acids, [OH<sup>-</sup>] is greater than [H<sub>3</sub>O<sup>+</sup>].</li> <li>e) in bases, [OH<sup>-</sup>] is greater than [H<sub>3</sub>O<sup>+</sup>].</li> </ul> |
| 5. What is the $[OH^{-}]$ concentration in a solution that has a $[H_3O^+] = 1 \times 10^{-6} M$ ?<br>a) $1 \times 10^{-10} M$ b) $1 \times 10^{-12} M$ c) $1 \times 10^{-2} M$ d) $1 \times 10^{-8} M$ e) $1 \times 10^{-6} M$   |
| <ul> <li>6. Which of the following are correctly matched?</li> <li>a) pH 4/neutral.</li> <li>b) pH 11/basic.</li> <li>c) pH 7/basic.</li> <li>d) pH 8/acidic.</li> <li>e) pH 1/basic</li> </ul>   |
| 7. What is the pH of a solution with $H_3O^+ = 1 \ge 10^{-9} M$ ?a) $1.0 \ge 10^{-5} M$ b) $9.0$ c) $-5.0$ d) $-9.0$ e) $5.0$   |
| <ul> <li>8. In a neutralization reaction <ul> <li>a) an acid and a base react to form a salt and water.</li> <li>b) water and a salt react to form an acid and a base.</li> <li>c) a base and a salt react to form water and an acid.</li> <li>d) two acids react to form water.</li> <li>e) an acid and a salt react to form water and a base.</li> </ul> </li> </ul>  |
| 9. Which of the following acids is a weak acid?<br>A) $HC_2H_3O_2$ B) $HCl$ C) HI D) $H_2SO_4$ E) $HNO_3$   |
| 10. Which of the following acids is a diprotic acid?A) $HC_2H_3O_2$ B) $HCl$ C) $HI$ D) $H_2SO_4$ E) $HNO_3$  |
| 11. Which of the following acids is a strong acid?A) $HC_2H_3O_2$ B) $H_2CO_3$ C) HID) $H_2SO_3$ E) $HNO_2$   |
| 12. A solution that has a pH of 5.4 has a $[H^+]$ equal to<br>A) 4.0 x 10 <sup>-6</sup> B) 2.5 x 10 <sup>5</sup> C) 8.6 D) 2.5 x 10 <sup>-9</sup> E) 4.0 x 10 <sup>8</sup><br>24 pt   |

## <u>Chp 12</u>

13. (12.1) Which state of matter is illustrated below?

- a. Gas
- b. Liquid
- c. Solid
- d. Both gas and solid
- e. Both liquid and solid



14. (12.1) Which of the following statements applies to the gaseous state of a substance?

- A) The particles are less free to move about than in the liquid and solid states.
- B) This state is characterized by an indefinite shape and high density.
- C) Pressure changes influence the volume of this state more than the other two states of matter.
- D) This state is characterized by an indefinite shape and a definite volume.
- 15. (12.3) Which one of the following statements is the *correct* statement about intermolecular attractions?
  - a). Intermolecular forces are weaker in liquids than in gases because the particles are closer to each other
  - b). <u>Smaller</u> intermolecular distances in liquids result in <u>stronger</u> intermolecular forces, when compared to intermolecular distances and forces in gases
  - c). Compared to liquids, large distances between gaseous molecules yield strong intermolecular attractions
  - d). The <u>smaller</u> the distance between molecules the <u>smaller</u> the intermolecular attractions, therefore attractions are <u>weaker</u> in liquids than gases

| (12.3) Select the name of the most important Intermolecular Force (A-D) for each of the following substances: |                     |  |  |  |
|---|---------------------|--|--|--|
| 16. CH <sub>3</sub> -CH <sub>2</sub> -CH <sub>2</sub> -CH <sub>2</sub> -CH <sub>3</sub>                       | A) Hydrogen bonding |  |  |  |
| 17. HCl   | B) Dipole-dipole    |  |  |  |
| 18. CH <sub>3</sub> OH  | C) London           |  |  |  |
|   | D) ionic            |  |  |  |

19. In which of the following pairs do both changes have the same thermicity? (**both** are endothermic or exothermic)

- A) sublimation and freezing
- B) deposition and sublimation
- C) condensation and melting
- D) condensation and freezing
- (4 pt) Using Lewis structures, draw a diagram showing the attractive force (the InterMolecularForce) between water molecules. Use as many molecules as needed.

<u>Chp 7.2</u>

20. (7.2) Which of the following depicts water molecules in the solid state?





| 21. | What are the ions form | ned in glucose, $C_6H_{12}O_6$ ? |                         |                       |
|-----|------------------------|----------------------------------|-------------------------|-----------------------|
|     | a) $CO_2 + H_2O$       | b) $C_6H_{11}O_5 + OH^-$         | c) $C_6H_{11}O_6 - H^+$ | d) no ions are formed |
|     |                        |                                  |                         |                       |

## <u>Chp 13</u>

- 22. What is another name for a homogeneous mixture? a) compound b) element c) pure substance d) solution
- 23. Which of the following compounds will be soluble in mineral oil  $(C_{14}H_{30}, a \text{ non-polar liquid})$ ? a) MgCl<sub>2</sub> b) AgCl c) PbCO<sub>3</sub> d) Ca(OH)<sub>2</sub> e) none are soluble in mineral oil